

Award Number:  
W81XWH-06-1-0681

TITLE:

**Novel Carbon Nitride Nanowire (CNW) Conjugates for Breast Cancer Treatment**

PRINCIPAL INVESTIGATOR:  
David Carroll, Ph.D.

CONTRACTING ORGANIZATION:  
Wake Forest University  
Winston-Salem, NC 27109

REPORT DATE:  
September 2008

TYPE OF REPORT:  
Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command  
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: (Check one)

☒ Approved for public release; distribution unlimited

☐ Distribution limited to U.S. Government agencies only;  
report contains proprietary information

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. <b>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</b>					
1. REPORT DATE (DD-MM-YYYY) 15-09-2008		2. REPORT TYPE Annual		3. DATES COVERED (From - To) 15 Aug 2007-14 Aug 2008	
4. TITLE AND SUBTITLE  Novel Carbon Nitride Nanowire (CNW) Conjugates for Breast Cancer Treatment				5a. CONTRACT NUMBER W81XWH-06-1-0681	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) David Carroll  Email: carroldl@wfu.edu				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Wake Forest University Winston-Salem NC 27109				8. PERFORMING ORGANIZATION REPORT NUMBER 1	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command, Fort Detrick, Maryland 21702-5012				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT In this program we have tested the concept that carbon nitride nanowires (CNWs)-conjugated to Herceptin can selectively target and photo-thermally ablate HER2-positive breast cancer tissues using penetrating near infra-red radiation (1.06 microns). Our initial results in cell culture suggest that CNWs are far superior transducers of radiation to the SWNTs or Ag nanoshells due to their metallic nature and aspect ratio. Initial animal studies have begun.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF: U			17. LIMITATION OF ABSTRACT  UU	18. NUMBER OF PAGES  11	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (include area code)

## Table of Contents

1. Statement of Objective 1	4
2. Procedures	5
3. Results	6
4. Summary	6
5. Materials	7

## Annual Report

Our objectives were:

Development of Herceptin-CNWs in cell culture: Using our experience conjugation chemistries on fullerenes, we will construct CNW conjugates and demonstrate that their photo-ablative properties are significantly superior to those referenced above.

**Note that since much of this work was done in the performance period of the last report, many results have been reproduced here. The original no cost extension was requested for Temple University.**

### Cell culture and viability using CN<sub>x</sub> Conjugates

CRL 1932 cancer cells were obtained from the American Type Culture Collection and cultured at 37 °C in a humidified chamber containing 5% CO<sub>2</sub> in McCoy's 5A media supplemented with 10% fetal bovine serum (FBS) and 1% penicillin-streptomycin. Cells were seeded at approximately  $1.5 \times 10^4$  cells/well in 48-well tissue culture plates. 0.1 ml of (CN<sub>x</sub>-MWNT) suspended in HBS were mixed with 0.9 ml CRL 1932 cancer cells in McCoy's 5 A modified media. The number of viable cells per ml of cell suspension was determined using a hemocytometer following staining with trypan blue. The dishes were incubated at 37 °C overnight.


The ratio of nanotubes to cells was varied in order to find the threshold for cell death. The concentration of nanotubes in the original suspension was determined by counting the number of nanotubes following deposition of a known volume of nanotube suspension onto a TEM grid as described above. Using this method and the conventional cell counting method described above, calculated ratios of nanotubes/cell of 1000:1, 100:1 and 1:1 were used. Where necessary, nanotubes suspensions were diluted in HBS. The concentrations for the 1000:1 samples were 0.083 mg/ml (1100 nm MWNT), 0.027 mg/ml (700 nm MWNT) and 0.005 mg/ml (300 nm MWNT). Furthermore, for each experiment a control sample of HBS without nanotubes was prepared. After incubation with or without nanotubes for 24 hours, the cells were irradiated with a NIR quasi-CW-YAG laser operating at a wavelength of 1064 nm and laser power of 3 W/cm<sup>2</sup>. Each well was exposed to the laser for 4 minutes. Cell viability was assessed by trypan blue exclusion or in some cases by crystal violet staining. Temperature was measured using a thin thermocouple wire, attached to a Fluke thermometer, suspended in the growth media so that increases in the media

temperature could be determined as a function of lasing time and nanotube length.

### Results and discussion

Nanotube length and lack of inherent toxicity

Our initial objective was to determine whether CN<sub>x</sub> MWNT exhibit inherent toxicity in the absence of IR treatment. To test this, we first used CN<sub>x</sub> MWNT of a fixed average length of 1100 nm. These were produced by limited acid treatment, as shown in Figure 6A. Cells were mixed with CN<sub>x</sub> MWNT at a calculated ratio of 1000 nanotubes to one cell and effects on viability assessed over 48 hrs. As shown in Figure 1, CN<sub>x</sub> MWNT by themselves had no discernible effect on cell viability over this timeframe. Thus, CN<sub>x</sub> MWNT are not inherently cytotoxic, in accordance with the recent literature (Worle-Knirsch, Pulskamp, & Krug 2006).




**Figure 1.** CN<sub>x</sub>-MWNT do not inhibit cell growth.  $1.5 \times 10^4$  cells/well CRL 1932 cancer cells were plated with  $1.5 \times 10^7$  1100 nm nanotubes in 35 mm wells. Control samples contained no MWNT. Viability was measured using a crystal violet absorption assay at 595nm after 8, 12, 24, 36 and 48 hours of culture. Means and standard deviations of triplicate determinations are shown. ----●--- is control, —○— is 1000 nanotubes per cell.

### Heat generated by CN<sub>x</sub>-MWNT

We next assessed the degree to which irradiation of CN<sub>x</sub> MWNT with NIR could induce an increase in temperature. These experiments were performed with 700 nm MWNT. Nanotubes were diluted in media and irradiated for various time at different concentrations. As shown in Figure 2, an increase in temperature was attained when nanotubes were irradiated with NIR in aqueous media. The concentrations used were  $1000 \times 10^5$  nanotubes per unit volume (marked 100 %),  $500 \times$


$10^5$  nanotubes per unit volume (marked 50%),  $250 \times 10^5$  nanotubes per unit volume (marked 25%), and finally  $10 \times 10^5$  nanotubes per unit volume (marked 10%). We note that the heating of media drops as the concentration of nanotubes drops. We address this point below.

#### Cell viability following CN<sub>x</sub> MWNT induced photothermal effect



**Figure 2.** Effect of nanotube concentration on heating. Concentrations of nanotubes used start at  $1000 \times 10^5$  nanotubes/unit volume (marked as 100%). The concentration was then diluted to  $500 \times 10^5$ ,  $250 \times 10^5$ , and  $100 \times 10^5$  nanotubes/unit volume, (marked 50%, 25% and 10% respectively). Starting temperature was approximately 23°C.

To test whether a decrease in viability could be induced by combined treatment with 1100 nm CN<sub>x</sub> MWNT and IR, cells were incubated with various concentrations of CN<sub>x</sub> MWNT, allowed to adhere overnight, and then exposed to  $3\text{W}/\text{cm}^2$  IR light for 4 minutes. Cells were incubated with CN<sub>x</sub> MWNT at nanotube:cell ratios of 1:1, 1:100, and 1:1000. Control cells were incubated with CN<sub>x</sub> MWNT, but were not treated with laser, or were treated with laser in the absence of nanotubes. Viability was assessed in all cultures. As shown in Figure 3A, in the absence of nanotubes, treatment with NIR had no effect on viability. Thus, cells have a high transparency to NIR light, and neither exposure to NIR nor exposure to nanotubes alone is sufficient to induce cell death. However when cells were incubated with CN<sub>x</sub> MWNT and subsequently exposed to NIR, there was a dramatic dose-dependent decrease in viability, with over 90% cell death at the highest dose tested (Figure 3A). The greatest decrease in viability



**Figure 3.** Effect of 1100 nm CN<sub>x</sub>-MWNT. (a)  $1.5 \times 10^4$  cells/well were mixed with 0.1 ml of 1100 nm CN<sub>x</sub>-MWNT in HBS at various concentrations in 10 mm wells. Cells were allowed to attach overnight and exposed to YAG laser for 4 minutes. Untreated controls are also shown. Viability was assessed by trypan blue exclusion. Means and standard deviations of 6 replicate cultures are shown. Similar results were obtained in six independent experiments. (b) Change in temperature of CRL 1932 cancer cells plated with various concentrations of N-doped MWNT after exposure to YAG laser for 4 minutes. Initial temperature was approximately 23°C. Maximum temperature change of  $23.5 \pm 0.3$  °C in 1000x N-doped MWNT sample. Abbreviations for this and subsequent figures are: NT (nanotube), L (laser), NL (no laser).

was associated with the greatest increase in temperature: the average number of viable cells in 1000x sample decreased by 96.25% after exposure to laser, where a maximum temperature of  $57.7 \pm 1.5$  °C was attained.

We next cultured cells with CN<sub>x</sub> MWNT at cell:nanotube ratios of 1:1, 1:100, and 1:1000 (designated as 1x, 100x and 1000x, respectively), irradiated for a fixed time of 4 minutes each, and tested whether temperature increases occurred under these conditions. As can be seen in Figure 3B, there was a slight increase in temperature in the control, 1x and 100x samples. The highest temperature change was

found in the 1000x sample, which reached a maximum temperature of  $57.7 \pm 1.5$  °C.

#### Control of CN<sub>x</sub> MWNT nanotube properties by length modification


In order to predict and control the properties of CN<sub>x</sub>-MWNT nanotubes as heating agents, it was important to determine whether their behavior could be modeled by classic antenna theory. One prediction of this theory is that optical coupling should occur at nanotube lengths that are at least half the wavelength of the incident light. In order to assess whether the behaviour of CN<sub>x</sub>-MWNT obeyed this prediction, we prepared nanotubes of different lengths and compared their activities as thermal coupling and cytotoxic agents.

As shown in Figure 6B, by increasing the length of acid treatment from 7 hrs (used to produce 1100 nm tubes) to 24 hrs, nanotubes of 700 nm average length were produced. Acid treatment for 60 hrs further reduced average length of CN<sub>x</sub>-MWNT nanotubes to 330 nm as measured by TEM (Figure 6C).


These nanotube preparations were incubated with cultured cancer cells, and their effects compared to those of 1100 nm CN<sub>x</sub>-MWNT.

exposed to YAG laser for 4 minutes. Untreated controls are also shown. Viability was assessed by trypan blue exclusion. Means and standard deviations of 6 replicate cultures are shown. Similar results were obtained in seven independent experiments. (b) Change in temperature of CRL 1932 cancer cells plated with various concentrations of N-doped MWNT after exposure to YAG laser for 4 minutes. Initial temperature was approximately 23°C. Maximum temperature change of  $16.35 \pm 2.5$  °C in 1000x N-doped MWNT sample.

As seen in Figure 4A, similar to the results obtained with 1100 nm CN<sub>x</sub>-MWNT, cells incubated with 700 nm N-doped MWNT in the absence of laser exposure maintained viability. Laser treatment by itself (in the absence of nanotubes) was also non-toxic (Figure 5A). However the combination of nanotubes and laser treatment again induced a dose-dependent cell death and temperature increase in the culture: There was little increase in temperature or effect on viability in cultures treated with CN<sub>x</sub>-MWNT at nanotube:cell ratios of 1:1 or 100:1. However, the average number of viable cells in cells treated with nanotubes at a ratio of 1000:1 decreased by 91.94% after exposure to laser with a maximum temperature of  $50.65 \pm 5.7$  °C (Figure 4B). Although the extent of cell death and maximal temperature increase were slightly less than those observed with 1100 nm nanotubes, these results indicate that CN<sub>x</sub>-MWNT of 700 nm length are also efficient at thermal coupling.



**Figure 4.** Effect of 700 nm CN<sub>x</sub>-MWNT (a)  $1.5 \times 10^4$  cells/well were mixed with 0.1 ml of 700 nm CN<sub>x</sub>-MWNT in HBS at various concentrations in 10 mm wells. Cells were allowed to attach overnight and



**Fig. 5.** Effect of 330 nm CN<sub>x</sub>-MWNT (a) 1.5 x 10<sup>4</sup> cells/well were mixed with 0.1 ml of 330 nm CN<sub>x</sub>-MWNT in HBS at various concentrations in 10 mm wells. Cells were allowed to attach overnight and exposed to YAG laser for 4 minutes. Untreated controls are also shown. Viability was assessed by trypan blue exclusion. Means and standard deviations of 6 replicate cultures are shown. Similar results were obtained in two independent experiments. (b) Change in temperature of CRL 1932 cancer cells plated with various concentrations of N-doped MWNT after exposure to YAG laser for 4 minutes. Initial temperature was approximately 23°C. Maximum temperature change of 7.2 ± 0.8 °C in 1000x N-doped MWNT samples.

Finally, the effect of CN<sub>x</sub>-MWNT of 330 nm average length were assessed. Like the 1100 and 700 nm nanotube preparations, these exhibited no toxicity in the absence of laser (Figure 5A). However, in contrast to results obtained with 1100 nm and 700 nm nanotubes, no cell death was seen at any concentration of these nanotubes. Maximal increase in temperature was correspondingly decreased: the maximum temperature reached in 1000x sample was 41.78 ± 2.85 °C (Figure 6B). This temperature was only slightly above the normal incubation temperature of 37°, and was thus insufficient to cause cell death. Since 300 nm CN<sub>x</sub>-MWNT are less than of half the wavelength of light used to activate the nanotubes (1064 nm), these results are consistent with the prediction that these nanotubes should not exhibit effective coupling to the laser. A comparison of all three nanotube lengths and corresponding cell survival is shown in figure 5.

#### Nanotube NIR coupling and heat transfer

The dependence of heating and cell death on nanotube length also suggests that CN<sub>x</sub>-MWNT behave as anticipated by classic antenna theory, which predicts that for nanotubes to couple effectively, they must be at least as long as one half the wavelength of the incident radiation (Hanson 2005; J.E. Riggs et al. 2000; J.E. Riggs, D.B. Walker, & Y.P. Sun 2001; Y. Wang et al. 2004). These wavelengths allow the antenna to become an electrical dipole from incident radiation and absorb light efficiently. Consistent with this prediction, 700 nm and 1100nm nanotubes delivered substantial heat to the cellular media when exposed to 1064 nm light, whereas 300 nm nanotubes coupled poorly to the radiation field and consequently did not absorb enough light to raise the media temperature.

Thermodynamic calorimetrics can be used to estimate how far these nanotubes transfer the heat generated within them into the surrounding liquid. The

calorimetric equation (1) that must be satisfied on an instantaneous level is:

$$(1) \quad M_{NT} C_{NT} \Delta T_{NT}^i = M_{water} C_{water} \Delta T_{water}^f + M_{NT} C_{NT} \Delta T_{NT}^f$$

where the M's are the masses, the C's are the heat capacities, and the ΔT's are the changes in temperature. (Charles Kittel & Herbert Kroemer 1980) This states that the amount of heat (Q) lost from the hot nanotube can be accounted for in the final temperature of the water (cellular milieu) and the nanotube combined. Because the system is not closed, this is only a first approximation of the experimental system. Further, bundling of the nanotubes is not accounted for in these experiments. However, this can provide us with an expectation of the simple best case scenario. To estimate the zone of heat transfer, we can ignore the second term, because it is small compared to the total mass of the water, and rearrange equation (1) to obtain equation (2):

$$(2) \quad R_{ZONK} = \left\{ \frac{\frac{3}{4} \pi (M_{NT} C_{NT} 100^\circ C)}{\rho_{water} C_{water} 50^\circ C} \right\}^{1/3}.$$

R<sub>ZONK</sub> is the “zone of nanotube killing” (ZONK), the radius from the surface of the nanotube that defines a volume in which the temperature has reached a minimum of 50°C. ρ<sub>water</sub> is the density of water. If we choose 100 °C as an initial temperature of the nanotube, then the zone of cell killing around a single N-doped MWNT can be estimated as follows: C<sub>NT</sub> ~ 3000, C<sub>water</sub> ~ 1000 (Hepplestone et al.), and the radius of a MWNT of about 10<sup>-8</sup> m. This gives a ZONK radius of roughly 10<sup>-7</sup> m. If we allow for nanotube temperatures to be 1000 °C, then the radius extends to approximately one micron. These calculations demonstrate that in the best case, a single nanotube can effectively heat volumes immediately adjacent to it.

The combined contributions of nanotube mass and number may explain why cell killing required high nanotube:cell ratios. In these studies, we have used a relatively low radiation dose (720J) in order to stay within a range that would not damage dermal layers should this be applied as a therapeutic. At these radiation doses, the heat is relatively well localized to one or two ZONK radii for an individual nanotube. As the number of nanotubes is increased, for a constant irradiation power, we expect the heat they can transfer will increase as the cube root of their mass. However, the number of antenna used increases the heat transfer linearly. So, from these simple considerations, we

expect that larger nanotube masses will enhance the total volume of killing, but not nearly as rapidly as increasing their numbers. This is seen in Figure 3 where the increase in maximum temperature is nearly linear with concentration for a given time. The solutions used in Figure 2 are well dispersed and therefore we expect clumping to have little effect.

Recently, nanomaterials have been applied to thermal ablation of tumors. These include gold nanoshells, (Hirsch, Stafford, Bankson, Sershen, Rivera, Price, Hazle, Halas, & West 2003) and single walled nanotubes SWNT. (Kam, O'Connell, Wisdom, & Dai 2005) All of these materials are in early developmental stages. CN<sub>x</sub>-MWNT have some theoretical and practical advantages as a nanomaterials. First, as discussed above, MWNT are excellent antenna for electromagnetic energy, and will absorb approximately three times the light as SWNT. This is important because within the transmission window of 700 nm to 1000 nm of human tissues, light is attenuated by skin and subcutaneous tissues. Since near IR irradiation may be applied through the skin to kill embedded cancers, the decreased light intensities required to heat with MWNT may reduce damage to dermal layers, particularly when the cancer lies at the deeper end of the NIR penetration range (2-4 cm). A second advantage of MWNT is that they have broad band width compared to the specific resonance absorptions of SWNT and nanoshells, allowing them to be activated by broader band widths of electromagnetic radiation. A third distinction is that MWNT do not require cell uptake, since we have shown that if they are within the R<sub>zonk</sub> killing radius, they are sufficiently close to impart enough thermal energy for cell damage.


Our experiments demonstrate that N-doped MWNT's can act as highly efficient heat transduction molecules in the extracellular environment. Further, we have shown that heat transfer and subsequent cell killing can be achieved extracellularly with relatively low total radiation doses of 1064 nm light. We have suggested that both the mass of the N-doped MWNTs and their length play an important role in radiation transduction and heat transfer. Since previous studies have shown that such long nanotubes cannot be taken up by cells in general, the fact that such effective cell killing was achieved outside of the cell demonstrates that photo-thermal techniques involving "nano-antennae" are not limited to those materials that can be endocytosed, which allows for a wide variety of therapeutic possibilities for the delivery of nanotubes to tissues. Additionally, the radiation wavelengths and doses used in this study suggest that such approaches might be feasible for the treatment of cancer with externally applied electromagnetic radiation.

## Materials and methods

### MWNT growth and characterization

CN<sub>x</sub>-MWNT were produced by carbon vapour deposition (CVD) as described previously (Liu, Czerw, & Carroll 2005). As precursors the catalyst ferrocene (Fe(C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>) and the carbon-nitrogen source pyridine (C<sub>5</sub>H<sub>5</sub>N) were used together with hydrogen as carrier gas. X-ray photoelectron spectroscopy (XPS) was used to determine the overall nitrogen concentration in the CN<sub>x</sub>-MWNT, which was found to be 1% - 2%. In order to produce CN<sub>x</sub>-MWNT of various lengths, the nanotubes were ultrasonicated in a mixture of concentrated sulfuric and nitric acid (3:1) for 7, 24 and 60 hours. After extensive washing and drying, the purity and length distribution of all samples were examined using a Philips 400 transmission electron microscope (TEM) operating at 80 keV. All samples showed almost no catalytic or carbonaceous particles on the MWNT surface; this is indicative of highly purified nanotube material. The length distribution of the samples sonicated for 7, 24 and 60 hours is shown in (Figure 1). Their average length was found to 1100 nm (7 hours), 700 nm (24 hours) and 300 nm (60 hours). Average widths were 15 nm, 15 nm and 13 nm, respectively. Since in the present experiments the ratio of nanotubes to cells was varied, all experiments were normalized to nanotubes per cell. In order to count the nanotubes in each of the samples, a simple TEM based method was devised based on placing a known volume of dispersed CN<sub>x</sub>-MWNT on a TEM grid, evaporating the aqueous buffer, and counting the number of nanotubes on the grid. Before use, CN<sub>x</sub>-MWNT were homogeneously suspended in Hepes Buffered Saline (HBS) by sonication in a Bronson 3510 sonicator for approximately one hour.





**Figure 1:** Sonication reduces mean length of  $\text{CN}_x$ -MWNT.  $\text{CN}_x$ -MWNT were sonicated in acid as described in Materials and Methods for 7 hours (a), 24 hours (b), and 60 hours (c). Average length was assessed by TEM.

## Conclusion

The overall goal of our experiments was to test whether  $\text{CN}_x$  MWNT could be used as effective heat transducers for photoablation of cultured cancer cells. We hypothesized that these nanotubes would be non-toxic *per se*, but could be activated to release heat by exposure to near-infrared radiation, and that this in turn would lead to cell death. We further hypothesized that effects of nanotubes would be dependent on their length. We observed that nanotube lengths of 1100 and 700 nm, but not 300 nm, coupled with the radiation and caused significant increases in temperature and cell death. The low power levels (3 watts) necessary to effectively kill cells suggests that the efficiency of NIR coupling to the long nanotubes is high. In summary, these results demonstrate that  $\text{CN}_x$ -MWNT are versatile and effective heat-delivery and cytotoxic agents. The ability to control their properties through length and other modifications may facilitate the ultimate clinical application of  $\text{CN}_x$ -MWNT in the treatment of cancer.

## References

- Brennan, M. E., Coleman, J. N., Drury, A., Lahr, B., Kobayashi, T., & Blau, W. J. 2003, "Nonlinear photoluminescence from van Hove singularities in multiwalled carbon nanotubes", *Optics Letters*, vol. 28, no. 4, pp. 266-268.
- Carrero-Sanchez, J. C., Elias, A. L., Mancilla, R., Arrellin, G., Terrones, H., Laclette, J. P., & Terrones, M. 2006, "Biocompatibility and Toxicological Studies of Carbon Nanotubes Doped with Nitrogen", *Nanoletters*, vol. 6, no. 8, pp. 1609-1616.
- Charles Kittel & Herbert Kroemer 1980, *Thermal Physics*, second edn, W.H. Freeman, New York.
- Chen, W. R., Adams, R. L., Bartels, K. E., & Nordquist, R. E. 1995a, "Chromophore-Enhanced In-Vivo Tumor-Cell Destruction Using An 808-Nm Diode-Laser", *Cancer Letters*, vol. 94, no. 2, pp. 125-131.
- Chen, W. R., Adams, R. L., Heaton, S., Dickey, D. T., Bartels, K. E., & Nordquist, R. E. 1995b, "Chromophore-Enhanced Laser-Tumor Tissue Photothermal Interaction Using An 808-Nm Diode-Laser", *Cancer Letters*, vol. 88, no. 1, pp. 15-19.
- Chen, W. R., Adams, R. L., Higgins, A. K., Bartels, K. E., & Nordquist, R. E. 1996, "Photothermal effects on murine mammary tumors using indocyanine green and an 808-nm diode laser: An in vivo efficacy study", *Cancer Letters*, vol. 98, no. 2, pp. 169-173.
- Hanson, G. W. 2005, "Fundamental transmitting properties of carbon nanotube antennas", *Ieee Transactions on Antennas and Propagation*, vol. 53, no. 11, pp. 3426-3435.
- Hepplestone, S. P., Ciavarella, A. M., Janke, C., & Srivastava, G. P. "Size and temperature dependence of the specific heat capacity of carbon nanotubes", *Surface Science*, vol. In Press, Corrected Proof.
- Hirsch, L. R., Stafford, R. J., Bankson, J. A., Sershen, S. R., Rivera, B., Price, R. E., Hazle, J. D., Halas, N. J., & West, J. L. 2003, "Nanoshell-mediated near-infrared thermal therapy of tumors under magnetic resonance guidance", *Proceedings of the National Academy of Sciences of the United States of America*, vol. 100, no. 23, pp. 13549-13554.
- Iijima, S. 1991, "Helical Microtubules of Graphitic Carbon", *Nature*, vol. 354, no. 6348, pp. 56-58.
- J.E.Riggs, D.B.Walker, D.L.Carroll, & Y.P.Sun 2000, "Optical Limiting Properties of Suspended and Solubilized Carbon Nanotubes", *Journal of Physical Chemistry B*, vol. 12, no. 104, pp. 7071-7075.
- J.E.Riggs, D.B.Walker, D. L. C., & Y.P.Sun 2001, "Carbon Nanotubes as Optical Limiters," K.M.Kadish, P.V.Kamat, & D.M.Guildi, eds., The Electrochemical Society Inc..
- Jackson, J. D. 1999, *Classsical Electrodynamics*, third edn, John Wiley and Sons, New York.
- Kam, N. W. S., O'Connell, M., Wisdom, J. A., & Dai, H. J. 2005, "Carbon nanotubes as multifunctional biological transporters and near-infrared agents for selective cancer cell destruction", *Proceedings of the National Academy of Sciences of the United States of America*, vol. 102, no. 33, pp. 11600-11605.
- Liu, J., Czerw, R., & Carroll, D. L. 2005, "Large-scale synthesis of highly aligned nitrogen doped carbon nanotubes by injection chemical vapor deposition methods", *Journal of Materials Research*, vol. 20, no. 2, pp. 538-543.
- Liu, J. W., Webster, S., & Carroll, D. L. 2005, "Temperature and flow rate of NH<sub>3</sub> effects on nitrogen content and doping environments of carbon nanotubes grown by injection CVD method", *Journal of Physical Chemistry B*, vol. 109, no. 33, pp. 15769-15774.
- Schonenberger, C. & Forro, L. 2000, "Multiwall carbon nanotubes", *Physics World*, vol. 13, no. 6, pp. 37-41.
- Webster, S., Reyes-Reyes, M., Pedron, X., Lopez-Sandoval, R., Terrones, M., & Carroll, D. L. 2005, "Enhanced nonlinear transmittance by complementary nonlinear mechanisms: A reverse-saturable absorbing dye blended with nonlinear-scattering carbon nanotubes", *Advanced Materials*, vol. 17, no. 10, p. 1239-+.
- Worle-Knirsch, J. M., Pulskamp, K., & Krug, H. F. 2006, "Oops they did it again! Carbon nanotubes hoax scientists in viability assays", *Nano Letters*, vol. 6, no. 6, pp. 1261-1268.
- Xu, J. F., Xiao, M., Czerw, R., & Carroll, D. L. 2004, "Optical limiting and enhanced optical nonlinearity in boron-doped carbon nanotubes", *Chemical Physics Letters*, vol. 389, no. 4-6, pp. 247-250.

Y.Wang, K.Kempa, B.Kimbal, J.B.Carlson, G.Benham, W.Z.Li, T.Kempa, J.Rybcznski, A.Herczynski, & Z.F.Ren 2004, "Recieving and Transmitting light-like radio waves:Antenna effect in arrays of aligned carbon nanotubes", *Applied Physics Letters*, vol. 85, p. 2607.